COMMERCIAL

PRICE LIST

BRIAN JAMES TRAILERS

Connected to you

UNITED KINGDOM

CONTENTS

03 CONNECT
07 TIPPER
09 GENERAL PLANT
11 DIGGER PLANT
13 ECO PLANT
15 UNIVERSAL OPTIONS

THE QUEEN'S AWARDS FOR ENTERPRISE: INTERNATIONAL TRADE 2018

All Brian James Trailers are fully approved to EEC Dir 2007/46

BRIAN JAMES TRAILERS in association with AL-KO QUALITY FOR LIFE

CONNECT
STANDARD EQUIPMENT





Side Extension Kit



MODEL PREFIX	476	476	476	476	476	476	476	476	476	476	476	476	476	476
MODEL NUMBER	2718-26-2-13	2718-30-2-10	3118-26-2-13	3118-30-2-10	3618-26-2-13	3618-30-2-10	3620-35-2-12	3621-35-2-12	4020-35-2-12	4021-35-2-12	4521-35-2-12	4521-35-3-10	5021-35-2-12	5021-35-3-10
CAPACITY														
Gross kg	2,600	3,000	2,600	3,000	2,600	3,000	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500
Load kg	2,055	2,450	2,030	2,425	2,005	2,400	2,825	2,805	2,785	2,755	2,725	2,665	2,695	2,635
Unladen trailer weight kg	545	550	570	575	595	600	675	695	715	745	775	835	805	865
DIMENSIONS														
Load bed length m **A**	2.70	2.70	3.10	3.10	3.60	3.60	3.60	3.60	4.00	4.00	4.50	4.50	5.00	5.00
Bed width m **B**	1.88	1.88	1.88	1.88	1.88	1.88	1.99	2.13	1.99	2.13	2.13	2.13	2.13	2.13
Overall bed width m **C**	1.90	1.90	1.90	1.90	1.90	1.90	2.01	2.15	2.01	2.15	2.15	2.15	2.15	2.15
Overall trailer length m **D**	4.29	4.29	4.69	4.69	5.19	5.19	5.27	5.27	5.67	5.97	6.20	6.20	6.65	6.65
Bed load height m	0.70	0.59	0.70	0.59	0.70	0.59	0.65	0.65	0.65	0.65	0.65	0.59	0.65	0.59
Towball height (loaded) m	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42
RUNNING GEAR														
Axles	2	2	2	2	2	2	2	2	2	2	2	3	2	3
Wheel / tyre size	13″ (165R13)	10″ (195/55)	13″ (165R13)	10″ (195/55)	13″ (165R13)	10″ (195/55)	12″ (195/60)	12″ (195/60)	12″ (195/60)	12″ (195/60)	12″ (195/60)	10″ (195/55)	12″ (195/60)	10″ (195/55)
Spare wheel	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Auto-retract jockey wheel, 48mm with 'Turn-Lok', serrated wall	●	●	●	●	●	●	—	—	—	—	—	—	—	—
Heavy duty telescopic jockey wheel, 8mm with 'Turn-Lok', serrated wall	—	—	—	—	—	—	●	●	●	●	●	●	●	●
SECURITY														
Locking coupling head	●	●	●	●	●	●	●	●	●	●	●	●	●	●
EXTERIOR														
Body trim / dropside colours: red, blue, anthracite, black, yellow	●	●	●	●	●	●	●	●	●	●	●	●	●	●
DELIVERY														
Delivery to a UK dealer	●	●	●	●	●	●	●	●	●	●	●	●	●	●
PRICE														
£ ex vat	**3,300**	**3,500**	**3,400**	**3,600**	**3,500**	**3,700**	**4,100**	**4,300**	**4,400**	**4,600**	**4,900**	**5,250**	**5,200**	**5,550**

Brian James Trailers Ltd, Commercial Trailer price list 01.07.2022. All prices shown are subject to VAT. Trailer prices include delivery to a UK dealer. Prices subject to change without prior notice.
Illustrations may depict non-standard equipment. All trailer weights stated are approximate and are based on a trailer with no optional extras fitted.

CONNECT
STANDARD EQUIPMENT





Side Extension Kit



MODEL PREFIX	476	476	476	476	476	476	476	476	476	476	476	476	476
MODEL NUMBER	5021-35-3-12	5022-35-2-12	5022-35-3-10	5022-35-3-12	5521-35-2-12	5521-35-3-10	5521-35-3-12	5522-35-2-12	5522-35-3-10	5522-35-3-12	5524-35-3-12	6022-35-3-12	6024-35-3-12
CAPACITY													
Gross kg	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500
Load kg	2,625	2,665	2,605	2,595	2,665	2,605	2,595	2,635	2,575	2,565	2,535	2,535	2,505
Unladen trailer weight kg	875	835	895	905	835	895	905	865	925	935	965	965	995
DIMENSIONS													
Load bed length m **A**	5.00	5.00	5.00	5.00	5.50	5.50	5.50	5.50	5.50	5.50	5.50	6.00	6.00
Bed width m **B**	2.13	2.27	2.27	2.27	2.13	2.13	2.13	2.27	2.27	2.27	2.41	2.27	2.41
Overall bed width m **C**	2.15	2.29	2.29	2.29	2.15	2.15	2.15	2.29	2.29	2.29	2.43	2.29	2.43
Overall trailer length m **D**	6.65	6.65	6.65	6.65	7.17	7.17	7.17	7.17	7.17	7.17	7.17	7.70	7.70
Bed load height m	0.65	0.65	0.59	0.65	0.65	0.59	0.65	0.65	0.59	0.65	0.65	0.65	0.65
Towball height (loaded) m	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42
RUNNING GEAR													
Axles	3	2	3	3	2	3	3	2	3	3	3	3	3
Wheel / tyre size	12″ (195/60)	12″ (195/60)	10″ (195/55)	12″ (195/60)	12″ (195/60)	10″ (195/55)	12″ (195/60)	12″ (195/60)	10″ (195/55)	12″ (195/60)	12″ (195/60)	12″ (195/60)	12″ (195/60)
Spare wheel	●	●	●	●	●	●	●	●	●	●	●	●	●
Auto-retract jockey wheel, 48mm with 'Turn-Lok', serrated wall	—	—	—	—	—	—	—	—	—	—	—	—	—
Heavy duty telescopic jockey wheel, 8mm with 'Turn-Lok', serrated wall	●	●	●	●	●	●	●	●	●	●	●	●	●
SECURITY													
Locking coupling head	●	●	●	●	●	●	●	●	●	●	●	●	●
EXTERIOR													
Body trim / dropside colours: red, blue, anthracite, black, yellow	●	●	●	●	●	●	●	●	●	●	●	●	●
DELIVERY													
Delivery to a UK dealer	●	●	●	●	●	●	●	●	●	●	●	●	●
PRICE													
£ ex vat	**5,600**	**5,600**	**5,950**	**6,000**	**5,500**	**5,850**	**5,900**	**5,900**	**6,250**	**6,300**	**6,700**	**6,600**	**7,000**

● Standard — Not available

CONNECT
OPTIONAL EQUIPMENT

	LOAD BED LENGTH							
	2.70	3.10	3.60	4.00	4.50	5.00	5.50	6.00
DECKING	£ ex vat							
Aluminium deck overlay, 3-bar fine checker - protects the surface beneath from high impact loads	380	420	460	500	540	580	640	680
DROPSIDES AND HEADBOARDS								
Dropside system - 308mm, sides and posts only – colours: red, blue, anthracite, black, yellow (to be used with headboard - see below)	420	440	460	480	500	520	540	560

	TRAILER WIDTH				
	1.90	2.01	2.15	2.29	2.43
Full width headboard - 308mm, removable – colours: red, blue, anthracite, black, yellow	110	120	130	140	150
REAR OPTIONS					
Rear dropside - 308mm – colours: red, blue, anthracite, black, yellow	110	120	130	140	150
Full width, 1.80m high mesh tail ramp with spring assistors (1.60m for models below 3500kg)	700	700	750	800	850
Full width tail ramp 0.78m high, punched - high grip surface, features spring assistors (only compatible with optional tilt-bed selected)	—	420	430	440	450
Tail panel torsion bar kit for use with full width tail ramp 0.78m high - (allows full width loading with no rear corner posts)	—	260	260	260	260
SIDE EXTENSIONS					
Extended side kit - 660mm front and sides for 2.7m bed length	710	—	—	—	—
Extended side kit - 660mm front and sides for 3.1m bed length	750	—	—	—	—
Extended side kit - 660mm front and sides for 3.6m bed length	790	800	810	—	—
Extended side kit - 660mm front and sides for 4.0m bed length	—	840	850	—	—
Extended side kit - 660mm front and sides for 4.5m bed length	—	—	890	—	—
Extended side kit - 660mm front and sides for 5.0m bed length	—	—	930	940	—
Extended side kit - 660mm front and sides for 5.5m bed length	—	—	970	980	990
Extended side kit - 660mm front and sides for 6.0m bed length	—	—	—	1,020	1,030
Extended side rear panel - 660mm – (for use with rear dropside only)	210	220	230	240	250
Extended side rear panel - 227mm – (for use with full width tail ramp 0.78m only)	—	180	190	200	210
LADDER RACKS					
Ladder rack - suitable for trailers with side extensions fitted	120	130	140	150	160
Ladder rack - suitable for trailers without side extensions fitted	200	210	220	230	240
LOADING OPTIONS					
Loading ramps (pair), 1.80m length, high grip surface, galvanised steel (not compatible with full width tail ramps)	360	360	360	360	360
Loading ramps (pair), 2.35m length, high grip surface, galvanised steel (not compatible with full width tail ramps)	440	440	440	440	440
Loading supports, kick down legs	160	160	160	160	160

Brian James Trailers Ltd, Commercial Trailer price list 01.07.2022. All prices shown are subject to VAT. Trailer prices include delivery to a UK dealer. Prices subject to change without prior notice.
Illustrations may depict non-standard equipment. All trailer weights stated are approximate and are based on a trailer with no optional extras fitted.

CONNECT
OPTIONAL EQUIPMENT

WINCHES	£ ex vat
Manually operated winch with steel cable, auto braked operation with free spool, centre pulley guide and drop-down bracket	**390**
Electric winch kit - 4500 lb drag capacity, 12V, wander lead remote control and drop-down bracket, no power system	**650**
Electric winch kit - Warrior 8000 - 8000 lb drag capacity, 12V, wander lead remote control, no power system	**870**
Electric winch kit - Warn 8000 - 8000 lb drag capacity, 12V, wander lead remote control, no power system	**1,080**
Power pack, portable HD 12V for electric winch - supplied with quick coupling Anderson connectors	**320**
OPERATION	
Manual hydraulic tilt-bed operation (for trailers 4.50m and over)	**640**
Electric tilt-bed operation (for trailers 4.50m and over). Must be ordered in conjunction with on-board battery kit, see next line)	**980**
On-board battery kit (can power electric winch or electric hydraulics, or both)	**330**
C-TEK battery charger kit (must be ordered in conjunction with on-board battery kit)	**270**
Eye coupling, 40mm diameter	**100**
Swivel jockey kit	**230**
OPTIONS PACKS	
Electric assistance pack (Warrior winch) - includes electric tilt-bed, battery pack, electric winch, CTEK charger	**1,950**
Electric assistance pack (Warn winch) - includes electric tilt-bed, battery pack, electric winch, CTEK charger	**2,100**
STORAGE	
Storage tray, below bed location (1 or 2 per trailer can be fitted)	**260**
LOAD RESTRAINT	
Loading assist, full width wheel chock	**300**

WHEEL OPTIONS	TWIN AXLE	TRI-AXLE
Alloy wheels – 10" (style B2 colour Silver) + safety locking wheel bolts and **alloy spare**	**600**	**840**
Alloy wheels – 10" (style B2 colour Anthracite, diamond cut) + safety locking wheel bolts and **alloy spare**	**750**	**1,050**
Alloy wheels – 12" (style B2 colour Silver) + safety locking wheel bolts and **alloy spare**	**600**	**840**
Alloy wheels – 12" (style B2 colour Anthracite, diamond cut) + safety locking wheel bolts and **alloy spare**	**750**	**1,050**

See page 15 for details of additional security, safety and load restraint options which are available on all of our ranges.

● Standard — Not available

T/PPER
STANDARD EQUIPMENT







MODEL PREFIX	526	526	526	526	526	526	526	526	526
MODEL NUMBER	2716-27-2-12	2716-27-2-13	3116-27-2-12	3116-27-2-13	3116-35-2-12	3620-35-2-12	3620-35-3-12	4020-35-2-12	4020-35-3-12
CAPACITY / DIMENSIONS									
Gross kg	2,700	2,700	2,700	2,700	3,500	3,500	3,500	3,500	3,500
Load kg	1,920	1,920	1,830	1,830	2,495	2,390	2,320	2,370	2,300
Unladen trailer weight kg*	780	780	870	870	1,005	1,110	1,180	1,130	1,200
Load bed length m **A**	2.70	2.70	3.10	3.10	3.10	3.60	3.60	4.00	4.00
Load bed width m **B**	1.60	1.60	1.60	1.60	1.60	2.00	2.00	2.00	2.00
Overall trailer width m **C**	1.71	1.71	1.71	1.71	1.71	2.11	2.11	2.11	2.11
Overall trailer length m **D**	4.00	4.00	4.40	4.40	4.40	4.90	4.90	5.30	5.30
Bed load height m	0.71	0.73	0.71	0.73	0.72	0.72	0.71	0.72	0.71
Towball height (loaded, centre of towball) m	0.37	0.44	0.37	0.44	0.37	0.37	0.42	0.37	0.42
RUNNING GEAR									
Axles	2	2	2	2	2	2	3	2	3
Wheel / tyre size	12″ (195/60)	13″ (165 C)	12″ (195/60)	13″ (165 C)	12″ (195/60)	12″ (195/60)	12″ (195/60)	12″ (195/60)	12″ (195/60)
Spare wheel	●	●	●	●	●	●	●	●	●
Auto-retract jockey wheel, 48mm with 'Turn-Lok', serrated wall	●	●	●	●	—	—	—	—	—
Heavy duty telescopic jockey wheel, 48mm with 'Turn-Lok', serrated wall	—	—	—	—	●	●	●	●	●
EXTERIOR									
Steel dropsides - 308mm	●	●	●	●	●	●	●	●	●
Body trim / Dropside colours - red, blue, anthracite, black, yellow	●	●	●	●	●	●	●	●	●
HYDRAULICS									
Hydraulic rams	1	1	1	1	1	2	2	2	2
12V electric hydraulic pump with on-board battery and trickle-charge from vehicle	●	●	●	●	●	●	●	●	●
BED BASE									
Steel lined bed with ply wood base - bonded and located by a fastener free heavy duty extrusion	●	●	●	●	●	●	●	●	●
LOADING									
Tie-down anchor points - sealed (internal)	8 points	8 points	8 points	8 points	8 points	8 points	8 points	8 points	8 points
LIGHTING / SECURITY									
Full LED lighting	●	●	●	●	●	●	●	●	●
Cast steel coupling head with integral high security lock	●	●	●	●	●	●	●	●	●
REAR DOOR									
Full-width rear tailgate - top and bottom hinged	●	●	●	●	●	●	●	●	●
DELIVERY									
Delivery to a UK dealer	●	●	●	●	●	●	●	●	●
PRICE									
£ ex vat	**5,050**	**4,800**	**5,650**	**5,450**	**6,050**	**7,350**	**7,800**	**7,900**	**8,350**

*Unladen weight includes drop sides and rear doors or tailgate.

Brian James Trailers Ltd, Commercial Trailer price list 01.07.2022. All prices shown are subject to VAT. Trailer prices include delivery to a UK dealer. Prices subject to change without prior notice.
Illustrations may depict non-standard equipment. All trailer weights stated are approximate and are based on a trailer with no optional extras fitted.

TIPPER
OPTIONAL EQUIPMENT

	LOAD BED LENGTH			
	2.70	3.10	3.60	4.00
WINCHES	£ ex vat			
Electric winch kit - 4500lb drag capacity, 12V, wander lead remote control	630	630	630	630
REAR DOOR				
Rear doors, side hinged - 270° opening (upgrade from standard tailgate)	120	120	120	120
LOADING				
Loading ramps (pair) - 1.80m length, high grip surface, galvanised steel	360	360	360	360
Loading ramps (pair) - 2.35m length, high grip surface, galvanised steel	440	440	440	440
Rear kick-down support legs	160	160	160	160
SIDES				
Side extension panels - 308mm - front, rear, sides. Trim available in red, blue, anthracite, black, yellow, plain steel	890	930	970	1,010
Side extension panels - 660mm - front, rear, sides	700	740	800	840
Heavy duty side extension panels - 660mm - front, rear, sides	1000	1050	1130	1150
Ladder rack featuring a cross bar and removable posts - suitable for trailers without side extensions fitted	200	200	210	210
Ladder rack featuring a cross bar - suitable for trailers with side extensions fitted	120	120	130	130

See page 15 for details of additional security, safety and load restraint options which are available on all of our ranges.

● Standard — Not available

GENERAL PLANT

STANDARD EQUIPMENT







PRODUCT CODE	550-0111	550-1111	550-1121	550-1132	550-1232	550-2232	550-2242	550-2321	550-2342	550-3242	550-3342	550-3343	550-4342	550-4343
CAPACITY														
Gross kg	1,300	1,300	1,800	2,700	2,700	2,700	3,500	1,800	3,500	3,500	3,500	3,500	3,500	3,500
Load kg	900	855	1,340	2,200	2,135	2,140	2,845	1,220	2,840	2,815	2,770	2,725	2,735	2,690
Unladen trailer weight kg	400	445	460	500	565	560	655	580	660	685	730	775	765	810
DIMENSIONS														
Load bed length m **A**	2.20	2.60	2.60	2.60	2.60	3.10	3.10	3.10	3.10	3.60	3.60	3.60	4.00	4.00
Internal bed width m **B**	1.30	1.30	1.30	1.30	1.60	1.60	1.60	1.85	1.85	1.60	1.85	1.85	1.85	1.85
Overall trailer width m **C**	1.93	1.93	1.93	1.93	2.23	2.23	2.23	2.48	2.48	2.23	2.48	2.48	2.48	2.48
Overall trailer length m **D**	3.81	4.21	4.21	4.21	4.21	4.71	4.71	4.71	4.71	5.24	5.24	5.24	5.60	5.60
Bed load height m	0.45	0.45	0.43	0.45	0.45	0.45	0.43	0.43	0.43	0.43	0.43	0.43	0.43	0.43
RUNNING GEAR														
Axles	1	1	1	2	2	2	2	1	2	2	2	3	2	3
Wheel / tyre size	13″ (165/80)	13″ (165/80)	12″ (185/60)	13″ (165/80)	13″ (165/80)	13″ (165/80)	12″ (185/60)	12″ (185/60)	12″ (185/60)	12″ (185/60)	12″ (185/60)	12″ (185/60)	12″ (185/60)	12″ (185/60)
Spare wheel	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Auto retract jockey wheel	●	●	●	●	●	●	●	●	●	●	●	●	●	●
REAR DOOR														
Bottom hinged tail board (not usable as a loading ramp)	●	●	●	●	●	●	●	●	●	●	●	●	●	●
LOADING AND SECURITY														
Coupling head with integral high security lock	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Tie-down anchor points (internal)	●	●	●	●	●	●	●	●	●	●	●	●	●	●
LIGHTING														
LED lighting all round	●	●	●	●	●	●	●	●	●	●	●	●	●	●
EXTERIOR														
Yellow panel bodywork	●	●	●	●	●	●	●	●	●	●	●	●	●	●
DELIVERY														
Delivery to a UK dealer	●	●	●	●	●	●	●	●	●	●	●	●	●	●
PRICE														
£ ex vat	**2,300**	**2,600**	**2,800**	**3,100**	**3,350**	**3,600**	**4,000**	**3,300**	**4,250**	**4,300**	**4,500**	**5,150**	**4,800**	**5,450**

Brian James Trailers Ltd, Commercial Trailer price list 01.07.2022. All prices shown are subject to VAT. Trailer prices include delivery to a UK dealer. Prices subject to change without prior notice.
Illustrations may depict non-standard equipment. All trailer weights stated are approximate and are based on a trailer with no optional extras fitted.

GENERAL PLANT

OPTIONAL EQUIPMENT

	LOAD BED LENGTH				
	2.20	2.60	3.10	3.60	4.00
WINCHES	£ ex vat				
Manually operated winch with steel cable, auto braked operation with free spool and centre pulley guide	390	390	390	390	390
Electric winch kit, 4500 lb drag capacity, 12V, wander lead remote control, no power system (see below for details of power pack)	600	600	600	600	600
Power pack, portable HD 12V for electric winch - supplied with quick coupling Anderson connectors	320	320	320	320	320
OPERATION					
Hydraulic tilt bed operation (3.10m bed length and above only)	—	—	670	670	670
Eye coupling - 40mm diameter	90	90	90	90	90
Digger bucket rest	110	110	110	110	110
DECKING					
Aluminium deck overlay 1.30m bed width, 3-bar fine checker - protects the surface beneath from high impact loads	320	360	420	460	510
Super-Grip panels x2	220	240	270	300	320
Super-Grip panels x3	340	360	390	420	440
REAR LOADING					
Loading ramps 1.62m, fully adjustable, HD hinge with nylon bush and a HD clamp mechanism (upgrade from standard tailgate)	190	190	190	190	190
Loading ramps 0.90m, fully adjustable, HD hinge with nylon bush and a HD clamp mechanism - for use with a tilt bed (upgrade from standard tailgate)	—	—	120	120	120
Full width, high tail ramp with spring assistance - part steel mesh and aluminium surface (upgrade from standard tailgate)	310	310	310	310	310
LOAD RESTRAINT					
Machine stop bar - always load your machine right up to the same location. A safe and convenient part of the chassis to tie against	110	110	110	110	110
SIDE OPTIONS					
Side extensions BASE KIT - front and side removable panels are clipped into removable posts (increase side height by 0.66m)	670	700	720	750	770
Side extensions - rear PLUS KIT - removable panel for rear of trailer (not for use with loading ramps)	120	120	120	120	120
Ladder rack featuring a cross bar and removable posts - suitable for trailers without side extensions fitted	190	190	190	190	190
Ladder rack featuring a cross bar - suitable for trailers with side extensions fitted	110	110	110	110	110
STORAGE					
Side storage lockers (not available on single axle 2.2m or twin axle 2.6m and 3.1m bed lengths)	—	230	—	230	230

See page 15 for details of additional security, safety and load restraint options which are available on all of our ranges.

● Standard — Not available

DIGGER PLANT

STANDARD EQUIPMENT



PRODUCT CODE	543-0110	543-1320	543-2320
CAPACITY			
Gross kg	2,700	3,500	3,500
Load kg	2,158	2,818	2,773
Unladen trailer weight kg	542	682	727
DIMENSIONS			
Load bed length m **A**	2.80	3.20	3.70
Internal bed width m **B**	1.30	1.70	1.70
Overall trailer width m **C**	1.79	2.32	2.32
Overall trailer length m **D**	4.65	5.12	5.62
Bed load height m	0.38	0.39	0.39
Towball height (loaded, centre of towball) m	0.40	0.40	0.40
Working load angle	13°	14°	14°
RUNNING GEAR			
Axles	2	2	2
Wheel / tyre size	13″ (165 6pr)	12″ (195/60)	12″ (195/60)
Sealed wheel bearings	●	●	●
Spare wheel + tyre mounted on side location bracket	●	●	●
LOADING AND SECURITY			
Cast steel coupling head with integral high security lock	●	●	●
Loading ramps, fully adjustable width settings, HD hinge with nylon bush and features a HD clamp mechanism	●	●	●
Digger bucket rest	●	●	●
Tie-down anchor points (internal)	Multiple in platform		
LIGHTING			
LED lighting all round	●	●	●
DELIVERY			
Delivery to a UK dealer	●	●	●
PRICE			
£ ex vat	**3,100**	**4,050**	**4,300**

Brian James Trailers Ltd, Commercial Trailer price list 01.07.2022. All prices shown are subject to VAT. Trailer prices include delivery to a UK dealer. Prices subject to change without prior notice.
Illustrations may depict non-standard equipment. All trailer weights stated are approximate and are based on a trailer with no optional extras fitted.

DIGGER PLANT

OPTIONAL EQUIPMENT

WINCHES	£ ex vat
Manually operated winch with steel cable, auto braked operation with free spool and pulley guide	390
Electric winch kit, 4500 lb drag capacity, 12V, wander lead remote control, no power system (see below for details of power pack)	630
Power pack, portable HD 12V for electric winch - supplied with quick coupling Anderson connectors	320
OPERATION	
Eye coupling, 40mm diameter	90
REAR LOADING	
Loading ramp, one piece with spring lift assistance, steel mesh infill panel and twin 'knife edge' panels (upgrade from standard loading ramps)	140
LOAD RESTRAINT	
Bucket locker, secure loose buckets on deck with absolute confidence	440
Machine stop bar	110
TracStrap system - 2,500 daN straps x2 fit over tracks to secure machinery - very secure and fast operation	430
TracStrap system - 5,000 daN heavy duty straps x2 fit over tracks to secure machinery - very secure and fast operation	530
Digger arm lock, fastens digger arm to trailer for ultimate towing security	360
SAFETY	
Chapter 8 chevrons, fitted on rear face of vertical loading ramps - site regulation compliant	190
Wheel nut indicators + safety system (4 wheel kit)	80

See page 15 for details of additional security, safety and load restraint options which are available on all of our ranges.

● Standard — Not available

ECO PLANT

STANDARD EQUIPMENT



PRODUCT CODE	515-1122	515-2222
CAPACITY		
Gross kg	2,600	2,600
Load kg	2,150	2,060
Unladen trailer weight kg	450	540
DIMENSIONS		
Load bed length m **A**	2.30	2.50
Internal bed width m **B**	1.10	1.50
Overall trailer width m **C**	1.58	1.98
Overall trailer length m **D**	4.28	4.48
Bed load height m	0.39	0.39
Towball height (loaded, centre of towball) m	0.40	0.40
RUNNING GEAR		
Axles	2	2
Wheel / tyre size	13″ (165 6pr)	13″ (165 6pr)
Sealed wheel bearings	●	●
Spare wheel	●	●
Jockey wheel, heavy duty serrated, side clamped	●	●
TRAILER LIGHTING		
12V LED trailer lighting - front marker lamps, stop, tail, indicators and registration plate (fog and reverse lamps are roundpoint style 12V filament bulb)	●	●
LOADING AND SECURITY		
Coupling head with integral high security lock	●	●
Tail panel with rear support	●	●
DELIVERY		
Delivery to a UK dealer	●	●
PRICE		
£ ex vat	**2,600**	**2,800**

Brian James Trailers Ltd, Commercial Trailer price list 01.07.2022. All prices shown are subject to VAT. Trailer prices include delivery to a UK dealer. Prices subject to change without prior notice.
Illustrations may depict non-standard equipment. All trailer weights stated are approximate and are based on a trailer with no optional extras fitted.

ECO PLANT

OPTIONAL EQUIPMENT

WINCHES	£ ex vat
Manually operated winch with steel cable and centre pulley guide	350
OPERATION	
Digger bucket rest	110
Eye coupling, 40mm diameter	90
DECKING	
'Super Grip' pads x4 (fit on runways to improve grip when loading)	200
LOAD RESTRAINT	
Machine stop bar	110

See page 15 for details of additional security, safety and load restraint options which are available on all of our ranges.

● Standard — Not available

UNIVERSAL OPTIONS

LOAD RESTRAINT	£ ex vat
Tie-down straps - orange, set of 4 x wheel 'sling' straps, 4,000 daN/Kg	**190**
4 x Wheel Straps, 6,000mm x 50mm, HD Orange, 4000 daN/Kg	**220**
4 x Wheel Straps, 10,000mm x 50mm, HD Orange, 4000 daN/Kg	**290**
SAFETY	
Wheel safety kit - includes torque wrench, 19mm socket and digital tyre pressure gauge	**100**
Tyre pressure monitoring system – TPMS by TyrePal in-car monitoring with external sensors (*pricing shown for **1 axle/2 axle/3 axle**)	**190/260/330***
SECURITY	
Datatag kit, provides an asset database registered transponder	**150**
Lockfast Bar Kit, 2 point fixing for 10" wheels (not suitable for alloy wheels)	**210**
Lockfast Bar Kit, 2 point fixing for 12" 5x stud and 13" 165/80 wheels (not suitable for alloy wheels)	**260**

Brian James Trailers Ltd, Commercial Trailer price list 01.07.2022. All prices shown are subject to VAT. Trailer prices include delivery to a UK dealer. Prices subject to change without prior notice.
Illustrations may depict non-standard equipment. All trailer weights stated are approximate and are based on a trailer with no optional extras fitted.

BRIAN JAMES TRAILERS

Connected to you

THE QUEEN'S AWARDS FOR ENTERPRISE: INTERNATIONAL TRADE 2018

NOTES

All images used are for illustrative purposes only and may show non-standard equipment and finishes.
All products are subject to change without prior notice due to our continuous development programme.

© BRIAN JAMES TRAILERS LIMITED

Edition 2022Q3-CMUK-PL01

Brian James Trailers Limited.
Sopwith Way, Drayton Fields Industrial Estate
Daventry, Northampton, NN11 8PB

T + 44 (0)1327 308 833

For more information please call or visit our website

www.brianjamestrailers.co.uk