# ENCLOSED CAR TRANSPORTER

### **BRIAN JAMES TRAILERS**

>> Connected to you



### CONTENT

- 03 RACE SHUTTLE 2 / RACE SHUTTLE 3
- 05 RACE SPORT
- 07 RACE TRANSPORTER 4, 5 & 6
- 11 UNIVERAL OPTIONS












#### RACE SHUTTLE 2 & 3 STANDARD EQUIPMENT



MODEL	RACE	RACE SHUTTLE 2		RACE SHUTTLE 3		
PRODUCT CODE	300-1010	300-1011	330-1010	330-1011	330-1021	
CAPACITY						
Gross kg	2,600	2,600	2,600	2,600	3,000	
Load kg	1,785	1,765	1,690	1,670	2,070	
Unladen trailer weight kg	815	835	910	930	930	
DIMENSIONS						
Load bed length m A	4.30	4.30	4.70	4.70	4.70	
Load bed width m B	1.95	1.95	1.95	1.95	1.95	
Overall trailer length m	5.82	5.82	6.20	6.20	6.20	
Internal height m C	1.53	1.53	1.60	1.60	1.60	
Overall trailer width m D	2.30	2.30	2.30	2.30	2.30	
Towball height (loaded, centre of towball) m	0.40	0.40	0.40	0.40	0.40	
OPERATION						
Fixed bed	•	_	•	_	_	
Hydraulic tilt-bed	_	•	_	•	•	
Spare wheel	•	•	•	•	•	
REAR LOADING						
Loading ramps 2.40m	•	•	•	•	•	
SECURITY						
Cast steel coupling head + integral high security lock	•	•	•	•	•	
STORAGE						
Storage pockets in sides	-	_	•	•	•	
EXTERIOR						
Dark grey lower bodywork	•	•	•	•	٠	
White high gloss GRP upper body	•	•	•	٠	•	
LED lighting all round	•	•	•	•	•	
INTERIOR						
LED illumination. Background lighting.	•	•	•	•	•	
WARRANTY						
5 year extended chassis warranty	•	•	•	•	٠	
DELIVERY						
Delivery to a UK dealer	•	•	•	•	٠	
PRICE						
£ ex vat	9,900	10,600	11,350	12,050	12,450	

Brian James Trailers Ltd, Enclosed Car Transporter price list 01.12.22. All prices shown are subject to VAT. Trailer prices include delivery to a UK dealer. Prices subject to change without prior notice. Illustrations may depict non-standard equipment. All trailer weights stated are approximate and are based on a trailer with no optional extras fitted.

#### RACE SHUTTLE 2 & 3 OPTIONAL EQUIPMENT

	£ ex vat
Alloy wheels – 5x (12" Style B2 - Silver) + safety locking wheel bolts	600
Alloy wheels – 5x (12" Style B2 - Anthracite, diamond cut) + safety locking wheel bolts	750
WINCHES	
Manual winch 2 speed, steel cable and roller guide	350
Electric winch kit, 4500 lb drag capacity, 12V, wander lead remote control (no power system)	630
Electric winch kit, 4500 lb drag capacity, 12V, wander lead remote control (includes portable power pack)	930
STORAGE	
Tyre rack + fuel storage station (check suitability for saloon car transportation as clearance under rack is reduced)	670
LOAD RESTRAINT	
Adjustable wheel stop bar – quick release	190

See page 11 for details of additional security, safety and load restraint options which are available on all of our ranges.

RACE SPORT STANDARD EQUIPMENT					
PRODUCT CODE	340-4500	340-4510	340-5000	340-5010	340-5510
CAPACITY					
Gross kg	2,600	3,000	2,600	3,000	3,000
Load kg	1,600	1,980	1,530	1,900	1,870
Unladen trailer weight kg	1,000	1,020	1,070	1,100	1,130
DIMENSIONS					
Load bed length m A	4.50	4.50	5.00	5.00	5.50
Load bed width m B	2.00	2.00	2.00	2.00	2.10
Overall trailer width m C	2.38	2.38	2.38	2.38	2.48
Overall length m D	6.06	6.06	6.56	6.56	7.06
Internal height (min aperture) m	1.77	1.77	1.77	1.77	1.77
Internal height (to roof) m E	1.82	1.82	1.82	1.82	1.82
Overall trailer height m F	2.25	2.25	2.25	2.25	2.25
Tow-ball height (loaded) m	0.40	0.40	0.40	0.40	0.40
RUNNING GEAR					
Axles	2	2	2	2	2
Wheel / tyre size	12" (155/70)	12" (155/70)	12" (155/70)	12" (155/70)	12" (155/70)
Spare wheel	٠	•	•	•	•
STANDARD FEATURES					
Rear support legs	٠	•	•	•	•
Front access hatch, left and right (Dimensions $4.5m$ and $5.0m = 0.85m$ (H) x 0.5m (W), $5.5m = 1.25m$ (H) x 0.5m (W))	٠	•	•	•	•
'Gullwing' side doors, left and right	•	•	•	•	•
Twin rear door/ramps with fold-out assistor ramps	•	•	•	•	•
Centre storage tray	_	_	_	_	•
Daylight roof, full length	٠	٠	•	•	•
Punched hi-grip deck left and right	٠	٠	•	•	•
Front work shelf	٠	٠	٠	•	•
Jockey wheel, auto retractable – HD Al-ko	٠	٠	٠	•	•
SECURITY					
Cast steel coupling head + integral high security lock	٠	٠	٠	٠	٠
WARRANTY					
5 year extended chassis warranty	٠	٠	٠	٠	٠
DELIVERY					
Delivery to a UK dealer	٠	٠	٠	٠	•
PRICE					
f ex vat	11,250	11,900	11,450	12,050	13,200


Brian James Trailers Ltd, Enclosed Car Transporter price list 01.12.22. All prices shown are subject to VAT. Trailer prices include delivery to a UK dealer. Prices subject to change without prior notice. Illustrations may depict non-standard equipment. All trailer weights stated are approximate and are based on a trailer with no optional extras fitted.


#### RACE SPORT OPTIONAL EQUIPMENT

WHEELS	£ ex vat
Alloy wheels – 5x (12" Style B2 - Silver) + safety locking wheel bolts	600
Alloy wheels – 5x (12" Style B2 - Anthracite, diamond cut) + safety locking wheel bolts	750
WINCHES	
Electric winch, 4500 lb drag capacity 12V operation with steel wire cable, roller fairlead and cable connected remote control - on-board battery	670
LOADING OPTIONS	
1.5m Assistor Ramp upgrade	240
DECKING	
Deck slick pads x4, red - protect soft compound racing tyres from the punched deck	130
LIGHTING	
LED Lighting kit - rear lights, check compatibility of towing vehicle electrics with trailer LED lamps (indicators)	290
Interior light pack, x4 LED Mini strips, centrally mounted overhead	330
STORAGE	
Tyre storage and transport rack - high level rack with securing system	500
Front storage - for 20 litre jerry can x 2 + shelves	200
Aluminium side storage racks	290
Aluminium lid kit for centre tray (available on 340-5510 model only)	270
CAMERAS	
Single Lens, Reverse Camera	490
Twin Lens, Reverse / Rear View Camera	1,100
LOAD RESTRAINT	
Wheel chocks, pair (red), quick release and fully adjustable, professional system engages into trailer chassis	150
Wheel chock loading assist, full-width wheel chock	110

See page 11 for details of additional security, safety and load restraint options which are available on all of our ranges.

#### RACE TRANSPORTER 4 & 5 STANDARD EQUIPMENT







384-0041 <u>384-1</u>041 384-1060 PRODUCT CODE 384-0060 385-1090 385-2090 385-1100 385-2100 Gross kg 3,500 3,500 3,500 3,500 3,500 3,500 3,500 3,500 Load kg 2,240 2,240 2,160 2,160 2,200 2,200 2,140 2,140 Unladen trailer weight kg 1,340 1,300 1,360 1,260 1,260 1,340 1,300 1,360 Chassis length m A 5.00 5.00 5.50 5.50 5.00 5.00 5.50 5.50 Minimum usable bed length m 4.85 4.85 5.35 5.35 4.85 4.85 5.35 5.35 Overall length m B 6.65 6.65 7.12 7.12 6.65 6.65 7.12 7.12 Internal width m C 2.12 2.12 2.12 2.12 2.12 2.12 2.12 2.12 2.51 2.50 2.50 2.50 Overall width m D 2.51 2.51 2.51 2.50 Internal height m E 1.88 1.88 1.88 1.88 1.88 1.88 1.88 1.88 Overall height (unloaded) m F 2.53 2.53 2.53 2.53 2.53 2.53 2.53 2.53 Bed height (unloaded) m **G** 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48 Hydraulic tilt bed . . Electric winch plus battery on-board . . . Coupling head with integral high security lock . Body colour White Black White Black White Black White Black Full body length black vinyl body stripe package Side doors Gullwing (2 sides) Gullwing (2 sides) Gullwing (2 sides) Gullwing (2 sides) Twin (2 sides) Twin (2 sides) Twin (2 sides) Twin (2 sides) Front access hatches Rear door - aluminium/steel construction with body moulding Daylight roof . Wheel size 12" (155/70) 12" (155/70) 12" (155/70) 12" (155/70) 12" (155/70) 12" (155/70) 12" (155/70) 12" (155/70) Axles 2 2 2 2 2 2 Spare wheel Heavy duty jockey wheel . . . 5 year extended chassis warranty • • . • • . . . Delivery to a UK dealer • • • • • • £ ex vat 15,800 16,650 16,700 17,600 18,150 19.050 19,500 20,350

> Brian James Trailers Ltd, Enclosed Car Transporter price list 01.12.22. All prices shown are subject to VAT. Trailer prices include delivery to a UK dealer. Prices subject to change without prior notice. Illustrations may depict non-standard equipment. All trailer weights stated are approximate and are based on a trailer with no optional extras fitted.

## **RACE TRANSPORTER 6**





STANDARD EQUIPMENT

MODEL

CANCITY   Image: Constraint of the state state of the state of the state state of the state of th	MODEL					RACE TRAN	ISPORTER 6				
Gene kg Lose kg Lose kg3,5003,5003,5003,5003,5003,5003,5003,5003,5003,5003,5003,5003,5003,5003,5003,5001,5501,	PRODUCT CODE	396-2010	396-3010	396-2020	396-3020	396-2030	396-3030	396-2040	396-3040	396-2060	396-3060
lash indication2,0002,0001,9001,9001,930	CAPACITY										
Unlex using king DEMENSION1,4801,4801,5401,5001,5001,5001,5001,5001,5001,5001,500DEMENSIONSConsist length and Manne analytic bed length m5,505,506,00 <td>Gross kg</td> <td>3,500</td>	Gross kg	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500
DMEMBONE   Consist length m A   S.S.D   S.S.D<	Load kg	2,020	2,020	1,960	1,960	2,000	2,000	1,950	1,950	1,880	1,880
Chassingmin A   5.50   5.50   5.50   5.50   5.50   6.00   6.00   6.50   6.50     Minimum asable bed length m   5.38	Unladen trailer weight kg	1,480	1,480	1,540	1,540	1,500	1,500	1,550	1,550	1,620	1,620
Minimum value bed length m   53.8   5.88 <th< td=""><td>DIMENSIONS</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></th<>	DIMENSIONS										
Overall length m 8 Internal width m C7.207.207.207.207.207.708.208.20Internal width m C2.122.122.122.122.242.27 <td>Chassis length m A</td> <td>5.50</td> <td>5.50</td> <td>6.00</td> <td>6.00</td> <td>5.50</td> <td>5.50</td> <td>6.00</td> <td>6.00</td> <td>6.50</td> <td>6.50</td>	Chassis length m A	5.50	5.50	6.00	6.00	5.50	5.50	6.00	6.00	6.50	6.50
Internal neight n C2.122.122.122.232.292.562.561.561.56OutputInternal neight m E2.24	Minimum usable bed length m	5.38	5.38	5.88	5.88	5.38	5.38	5.88	5.88	6.38	6.38
Overall width m D2.392.392.392.392.392.392.562.562.562.562.562.56Internal height m E1.88	Overall length m B	7.20	7.20	7.70	7.70	7.20	7.20	7.70	7.70	8.20	8.20
Internal height m E   1.88   0.58 </td <td>Internal width m C</td> <td>2.12</td> <td>2.12</td> <td>2.12</td> <td>2.12</td> <td>2.29</td> <td>2.29</td> <td>2.29</td> <td>2.29</td> <td>2.29</td> <td>2.29</td>	Internal width m C	2.12	2.12	2.12	2.12	2.29	2.29	2.29	2.29	2.29	2.29
Overall height (unloaded) m F   2.64   0.58  <	Overall width m D	2.39	2.39	2.39	2.39	2.56	2.56	2.56	2.56	2.56	2.56
Bed height (unloaded) in G0.58 </td <td>Internal height m E</td> <td>1.88</td>	Internal height m E	1.88	1.88	1.88	1.88	1.88	1.88	1.88	1.88	1.88	1.88
OPERATION Image: Constraint of building operation (electric hydraulies includes builtin battery level indicator/gauge) Image: Constraint of builting operation (electric hydraulies includes builtin battery level indicator/gauge) Image: Constraint of builting operation (electric hydraulies includes builtin battery enchange) Image: Constraint operation (electric hydraulies includes builtin battery enchange) Image: Constraint operation (electric hydraulies includes builtin battery enchange) Image: Constraint operation (electric hydraulies includes builtin battery enchange) Image: Constraint operation (electric hydraulies includes builtin battery enchange) Image: Constraint operation (electric hydraulies includes builtin battery enchange) Image: Constraint operation (electric hydraulies includes builtin battery enchange) Image: Constraint operation (electric hydraulies includes builtin battery enchange) Image: Constraint operation (electric hydraulies includes builtin battery enchange) Image: Constraint operation (electric hydraulies includes builtin battery enchange) Image: Constraint operation (electric hydraulies includes builtin battery enchange) Image: Constraint operation (electric hydraulies includes builtin battery enchange) Image: Constraint operation (electric hydraulies includes builtin battery enchange) Image: Constraint operation (electric hydraulies includes builtin battery enchange) Image: Constraint operation (electric hydraulies includes builtin battery enchange) Image: Constraint operation (electric hydraulies includes builtin battery enchange) Image: Constraint operation (electric hydraulies includes builtin battery enchange) Image: Constraint operating (electric hydraulie	Overall height (unloaded) m F	2.64	2.64	2.64	2.64	2.64	2.64	2.64	2.64	2.67	2.67
Leading operation (electric hydraulics - includes built-in battery level indicator/gauge)   ●   <	Bed height (unloaded) m G	0.58	0.58	0.58	0.58	0.58	0.58	0.58	0.58	0.67	0.67
Electric winch plus battery on-boardOOO <td>OPERATION</td> <td></td>	OPERATION										
Cast seel coupling head with integral high security lockImage: Show high, suitable for cars with low splittersImage: Show	Loading operation (electric hydraulics - includes built-in battery level indicator/gauge)	•	•	٠	٠	٠	•	•	•	•	•
Adjustable wheel chock - quick release, 55mm high, suitable for cars with low splittersImage: Construction of the splitters <th< td=""><td>Electric winch plus battery on-board</td><td>•</td><td>•</td><td>•</td><td>٠</td><td>•</td><td>•</td><td>•</td><td>•</td><td>•</td><td>•</td></th<>	Electric winch plus battery on-board	•	•	•	٠	•	•	•	•	•	•
Pre-galvanised storage tray - central x2 and front x2••• <t< td=""><td>Cast steel coupling head with integral high security lock</td><td>•</td><td>•</td><td>٠</td><td>٠</td><td>٠</td><td>•</td><td>•</td><td>•</td><td>•</td><td>•</td></t<>	Cast steel coupling head with integral high security lock	•	•	٠	٠	٠	•	•	•	•	•
Inclusion basis	Adjustable wheel chock – quick release, 55mm high, suitable for cars with low splitters	•	•	•	٠	٠	•	•	•	•	•
Body colourWhiteBlack <td>Pre-galvanised storage tray – central x2 and front x2</td> <td>•</td> <td>•</td> <td>•</td> <td>٠</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td>	Pre-galvanised storage tray – central x2 and front x2	•	•	•	٠	•	•	•	•	•	•
Full body length black vinyl body stripe package (not available on black body option)Image: Stripe of the stripe of t	EXTERIOR/DOORS										
Exterior LED lighting all round•••	Body colour	White	Black								
Side doorsTwin (2 sides)Twin (2 si	Full body length black vinyl body stripe package (not available on black body option)	•	•	•	٠	•	•	•	•	•	•
Front and rear access hatches   Image: Construction with body moulding   Image: Construct	Exterior LED lighting all round	•	•	•	٠	•	•	•	•	•	•
Rear door - aluminium and steel construction with body mouldingImage: construction with body m	Side doors	Twin (2 sides)									
Daylight roofImage: selection of the selection of	Front and rear access hatches	•	•	•	٠	•	•	•	•	•	•
RUNNING GEAR   Wheel size   10" (195/55) <td>Rear door - aluminium and steel construction with body moulding</td> <td>•</td> <td>•</td> <td>•</td> <td>٠</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td>	Rear door - aluminium and steel construction with body moulding	•	•	•	٠	•	•	•	•	•	•
Wheel size   10" (195/55) <td>Daylight roof</td> <td>•</td> <td>•</td> <td>•</td> <td>٠</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td>	Daylight roof	•	•	•	٠	•	•	•	•	•	•
Axles33	RUNNING GEAR										
Spare wheelImage: spare	Wheel size	10" (195/55)	10" (195/55)	10" (195/55)	10" (195/55)	10" (195/55)	10" (195/55)	10" (195/55)	10" (195/55)	13" (195/55)	13" (195/55)
Heavy duty jockey wheelImage: Second Sec	Axles	3	3	3	3	3	3	3	3	3	3
WARRANTY5 year extended chassis warrantyOOO<	Spare wheel	•	٠	٠	•	٠	٠	٠	٠	٠	•
5 year extended chassis warranty ●	Heavy duty jockey wheel	•	٠	٠	•	٠	٠	٠	٠	٠	•
DELIVERY Delivery to a UK dealer	WARRANTY										
Delivery to a UK dealer • • • • • • • • • • • • • • • •	5 year extended chassis warranty	•	٠	٠	•	٠	٠	٠	٠	٠	•
	DELIVERY										
PRICE	Delivery to a UK dealer	•	•	٠	٠	٠	•	•	•	•	•
	PRICE										
f ex vat 22,150 23,050 23,400 24,300 23,150 24,050 24,350 25,250 26,000 26,000	£ ex vat	22,150	23,050	23,400	24,300	23,150	24,050	24,350	25,250	26,000	26,900

#### **RACE TRANSPORTER 4, 5 & 6 OPTIONAL EQUIPMENT** Alloy wheels - (colour Silver) + safety locking bolts and alloy spare 600 600 840 840 840 Alloy wheels - (colour Anthracite, diamond cut) + safety locking bolts and alloy spare 750 750 1,050 1,050 2nd spare wheel - steel 260 260 \_\_\_\_ \_\_\_\_ 2nd spare wheel - alloy (colour Silver) 310 310 \_ \_ 2nd spare wheel - alloy (colour Anthracite, diamond cut) 360 360 330 330 Remote control bed tilt function controlled by smartphone app \_ \_ 330 Battery charger from mains connection - CTEK technology with guick connect plug 270 270 270 440 Winch radio control system 440 440 440 Adjustable wheel chock - quick release, 55mm high, suitable for cars with low splitters 130 . • Adjustable wheel chock - quick release (red), commercial car transporter type 150 150 150 150 150 Deck slick pads x4, red - protect soft compound racing tyres from the punched deck 120 120 120 120 120 Single awning - available in left and right side versions (5.5m bed = 3.5m awning / 6.0m bed = 4m awning / 6.5m bed = 4.5m awning) 920 1,040 1,160 \_ \_ Twin awning - includes left and right side versions (5.5m bed = 3.5m awning / 6.0m bed = 4m awning / 6.5m bed = 4.5m awning) \_ 1,840 2,080 2,320 360° camera system 2,330 2,330 2,330 2,330 2,330 Reverse camera 490 490 490 490 490 Twin lens - reverse/rear view camera 1,100 1,100 1,100 1,100 1,100 Solar panel battery charging system 430 430 430 430 430 Front store station 400 \_ \_ \_ \_ Front store station - premium \_ 650 650 650 650 Bench vice (only compatible if optional tyre rack is fitted, see details on previous page within Motorsport Pack section) 150 150 150 150 150 Hand wash station with warm water store 330 330 330 330 330 Paper towel dispenser 170 170 170 170 170 Mains power hook-up unit with 3 x 3-pin mains sockets and 2 x USB ports 230 230 230

### RACE TRANSPORTER 4, 5 & 6

OPTIONS AND OPTION PACKS (Please note that all options within each pack can also be ordered separately)

(i lease note that an options within each pack can also be ordered separately)				
MODEL		RT 4	RT 5	RT 6
LIGHTING PACK				
Rear LED trailer lighting	Individual price:	290	•	•
LED reverse lights – side mounted (factory fitted – dealer fit kit will incur fitting charge)	Individual price:	300	300	300
Rear exterior LED loading lamps - automatically engaged when side lights of vehicle are on and rear door is open	Individual price:	300	300	300
Interior LED light strips x 3	Individual price:	330	•	•
Interior LED flood light package	Individual price:	750	750	750
	Special pack price:	1,750	1,150	1,150
STORAGE PACK				
Pre-galvanised storage tray x2 – central, below bed	Individual price:	420	•	•
Hinged aluminium lid x2 + gas strut assistance – for central aluminium storage trays	Individual price:	480	•	•
Hinged aluminium lid x1 + gas strut assistance – for front aluminium storage tray	Individual price:	_	_	•
Aluminium side storage racks (pair, one each side)	Individual price:	290	290	290
	Special pack price:	1,050	_	—
MOTORSPORT PACK				
Lightweight assistor ramps – ultra low loading facility (pair)	Individual price:	350	350	350
Tyre rack – high level rack with securing system	Individual price:	450	450	450
Work bench (must be ordered with tyre rack)	Individual price:	430	430	430
Tie-down straps – red, set of 4 x wheel circumference straps, 3000 DaN/Kg; strap over circumference of each of the vehicle's tyres	Individual price:	210	•	•
	Special pack price:	1,230	1,040	1,040

See page 11 for details of additional security, safety and load restraint options which are available on all of our ranges.

### **UNIVERSAL OPTIONS**

LOAD RESTRAINT	£ ex vat
Tie-down straps - blue, set of 4 x wheel 'sling' straps, 2000 daN/Kg	170
Tie-down straps - orange, set of 4 x wheel 'sling' straps, 4000 daN/Kg	190
Tie-down straps - red, set of 4 x wheel circumference straps, 3000 daN/Kg (not suitable for Race Shuttle models)	210
Wheel Straps, set of 4 - HD Orange 6m x 50mm, 4000 daN/Kg	220
Wheel Straps, set of 4 - HD Orange 10m x 50mm, 4000 daN/Kg	290
SAFETY	
Tyre pressure monitoring system – TPMS by TyrePal in-car monitoring with external sensors (*pricing shown for 1 axle/2 axle/3 axle)	190/260/330*
SECURITY	
Datatag kit, provides an asset database registered transponder	150
Lockfast bar kit, 2 point fixing for 10" wheels (not suitable for alloy wheels)	250
Lockfast bar kit, 2 point fixing for 12" wheels (not suitable for alloy wheels)	300

### **BRIAN JAMES TRAILERS**

>> Connected to you







#### NOTES

All images used are for illustrative purposes only and may show non-standard equipment and finishes. All products are subject to change without prior notice due to our continuous development programme.

© BRIAN JAMES TRAILERS LIMITED

Brian James Trailers Limited. Sopwith Way, Drayton Fields Industrial Estate Daventry, Northampton, NN11 8PB

T + 44 (0)1327 308 833

For more information please call or visit our website

www.brianjamestrailers.co.uk