

FLATBED AND TIPPER

PRICE LIST

BRIAN JAMES TRAILERS

» Connected to you



UNITED KINGDOM




CONTENTS

- 03 CONNECT
- 07 TIPPER
- 09 UNIVERSAL OPTIONS



CONNECT




STANDARD EQUIPMENT



MODEL PREFIX	476	476	476	476	476	476	476	476	476	476	476	476	476	476
MODEL NUMBER	2718-26-2-13	2718-30-2-10	3118-26-2-13	3118-30-2-10	3618-26-2-13	3618-30-2-10	3620-35-2-12	3621-35-2-12	4020-35-2-12	4021-35-2-12	4521-35-2-12	4521-35-3-10	5021-35-2-12	5021-35-3-10
CAPACITY														
Gross kg	2,600	3,000	2,600	3,000	2,600	3,000	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500
Load kg	2,055	2,450	2,030	2,425	2,005	2,400	2,825	2,805	2,785	2,755	2,725	2,665	2,695	2,635
Unladen trailer weight kg	545	550	570	575	595	600	675	695	715	745	775	835	805	865
DIMENSIONS														
Load bed length m A	2.70	2.70	3.10	3.10	3.60	3.60	3.60	3.60	4.00	4.00	4.50	4.50	5.00	5.00
Bed width m B	1.88	1.88	1.88	1.88	1.88	1.88	1.99	2.13	1.99	2.13	2.13	2.13	2.13	2.13
Overall bed width m C	1.90	1.90	1.90	1.90	1.90	1.90	2.01	2.15	2.01	2.15	2.15	2.15	2.15	2.15
Overall trailer length m D	4.29	4.29	4.69	4.69	5.19	5.19	5.27	5.27	5.67	5.97	6.20	6.20	6.65	6.65
Bed load height m	0.70	0.59	0.70	0.59	0.70	0.59	0.65	0.65	0.65	0.65	0.65	0.59	0.65	0.59
Towball height (loaded) m	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42
RUNNING GEAR														
Axes	2	2	2	2	2	2	2	2	2	2	2	3	2	3
Wheel / tyre size	13" (165R13)	10" (195/55)	13" (165R13)	10" (195/55)	13" (165R13)	10" (195/55)	12" (195/60)	12" (195/60)	12" (195/60)	12" (195/60)	12" (195/60)	10" (195/55)	12" (195/60)	10" (195/55)
Spare wheel	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Auto-retract jockey wheel, 48mm with 'Turn-Lok', serrated wall	●	●	●	●	●	●	—	—	—	—	—	—	—	—
Heavy duty telescopic jockey wheel, 48mm with 'Turn-Lok', serrated wall	—	—	—	—	—	—	●	●	●	●	●	●	●	●
SECURITY														
Locking coupling head	●	●	●	●	●	●	●	●	●	●	●	●	●	●
EXTERIOR														
Body trim / dropside colours: red, blue, anthracite, black, yellow	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Full LED lighting	●	●	●	●	●	●	●	●	●	●	●	●	●	●
DELIVERY														
Delivery to a UK dealer	●	●	●	●	●	●	●	●	●	●	●	●	●	●
PRICE														
£ ex vat	3,550	3,750	3,650	3,850	3,750	3,950	4,350	4,550	4,650	4,850	5,150	5,550	5,450	5,850

CONNECT

STANDARD EQUIPMENT



MODEL PREFIX	476	476	476	476	476	476	476	476	476	476	476	476	476
MODEL NUMBER	5021-35-3-12	5022-35-2-12	5022-35-3-10	5022-35-3-12	5521-35-2-12	5521-35-3-10	5521-35-3-12	5522-35-2-12	5522-35-3-10	5522-35-3-12	5524-35-3-12	6022-35-3-12	6024-35-3-12
CAPACITY													
Gross kg	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500
Load kg	2,625	2,665	2,605	2,595	2,665	2,605	2,595	2,635	2,575	2,565	2,535	2,535	2,505
Unladen trailer weight kg	875	835	895	905	835	895	905	865	925	935	965	965	995
DIMENSIONS													
Load bed length m A	5.00	5.00	5.00	5.00	5.50	5.50	5.50	5.50	5.50	5.50	5.50	6.00	6.00
Bed width m B	2.13	2.27	2.27	2.27	2.13	2.13	2.13	2.27	2.27	2.27	2.41	2.27	2.41
Overall bed width m C	2.15	2.29	2.29	2.29	2.15	2.15	2.15	2.29	2.29	2.29	2.43	2.29	2.43
Overall trailer length m D	6.65	6.65	6.65	6.65	7.17	7.17	7.17	7.17	7.17	7.17	7.17	7.70	7.70
Bed load height m	0.65	0.65	0.59	0.65	0.65	0.59	0.65	0.65	0.59	0.65	0.65	0.65	0.65
Towball height (loaded) m	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42
RUNNING GEAR													
Axles	3	2	3	3	2	3	3	2	3	3	3	3	3
Wheel / tyre size	12" (195/60)	12" (195/60)	10" (195/55)	12" (195/60)	12" (195/60)	10" (195/55)	12" (195/60)	12" (195/60)	10" (195/55)	12" (195/60)	12" (195/60)	12" (195/60)	12" (195/60)
Spare wheel	●	●	●	●	●	●	●	●	●	●	●	●	●
Auto-retract jockey wheel, 48mm with 'Turn-Lok', serrated wall	—	—	—	—	—	—	—	—	—	—	—	—	—
Heavy duty telescopic jockey wheel, 48mm with 'Turn-Lok', serrated wall	●	●	●	●	●	●	●	●	●	●	●	●	●
SECURITY													
Locking coupling head	●	●	●	●	●	●	●	●	●	●	●	●	●
EXTERIOR													
Body trim / dropside colours: red, blue, anthracite, black, yellow	●	●	●	●	●	●	●	●	●	●	●	●	●
Full LED lighting	●	●	●	●	●	●	●	●	●	●	●	●	●
DELIVERY													
Delivery to a UK dealer	●	●	●	●	●	●	●	●	●	●	●	●	●
PRICE													
£ ex vat	5,900	5,850	6,250	6,300	5,750	6,150	6,200	6,150	6,550	6,600	7,000	6,900	7,300

CONNECT

OPTIONAL EQUIPMENT

	LOAD BED LENGTH							
	2.70	3.10	3.60	4.00	4.50	5.00	5.50	6.00
DECKING	£ ex vat							
Aluminium deck overlay, 3-bar fine checker - protects the surface beneath from high impact loads	380	420	460	500	540	580	640	680
DROPSIDES AND HEADBOARDS								
Dropside system - 308mm, sides and posts only – colours: red, blue, anthracite, black, yellow (to be used with headboard - see below)	430	450	470	490	510	530	550	570
	TRAILER WIDTH							
	1.90	2.01	2.15	2.29	2.43			
Full width headboard - 308mm, removable – colours: red, blue, anthracite, black, yellow	120	130	140	150	160			
REAR OPTIONS								
Rear dropside - 308mm – colours: red, blue, anthracite, black, yellow	120	130	140	150	160			
Full width, 1.80m high mesh tail ramp with spring assistors (1.60m for models below 3500kg)	700	700	750	800	850			
Full width tail ramp 0.78m high, punched - high grip surface, features spring assistors (only compatible with optional tilt-bed selected)	—	—	430	440	450			
Tail panel torsion bar kit for use with full width tail ramp 0.78m high - (allows full width loading with no rear corner posts)	—	—	260	260	260			
SIDE EXTENSIONS								
Extended side kit - 660mm front and sides for 2.7m bed length	740	—	—	—	—			
Extended side kit - 660mm front and sides for 3.1m bed length	780	—	—	—	—			
Extended side kit - 660mm front and sides for 3.6m bed length	820	830	840	—	—			
Extended side kit - 660mm front and sides for 4.0m bed length	—	870	880	—	—			
Extended side kit - 660mm front and sides for 4.5m bed length	—	—	920	—	—			
Extended side kit - 660mm front and sides for 5.0m bed length	—	—	960	970	—			
Extended side kit - 660mm front and sides for 5.5m bed length	—	—	1,000	1,010	1,020			
Extended side kit - 660mm front and sides for 6.0m bed length	—	—	—	1,050	1,060			
Extended side rear panel - 660mm – (for use with rear dropside only)	220	230	240	250	260			
Extended side rear panel - 227mm – (for use with full width tail ramp 0.78m only)	—	—	200	210	220			
LADDER RACKS								
Ladder rack - suitable for trailers with side extensions fitted	120	130	140	150	160			
Ladder rack - suitable for trailers without side extensions fitted	200	210	220	230	240			
LOADING OPTIONS								
Loading ramps (pair), 1.80m length, high grip surface, galvanised steel (not compatible with full width tail ramps)	370	370	370	370	370			
Loading ramps (pair), 2.35m length, high grip surface, galvanised steel (not compatible with full width tail ramps)	450	450	450	450	450			
Assistor ramps (for use with full width tail ramp 0.78m only)	—	—	250	250	250			
Loading supports, kick down legs	180	180	180	180	180			

CONNECT

OPTIONAL EQUIPMENT


WINCHES		£ ex vat
Manually operated winch with steel cable, auto braked operation with free spool, centre pulley guide and drop-down bracket		400
Electric winch kit - 4500 lb drag capacity, 12V, wander lead remote control and drop-down bracket, no power system		660
Electric winch kit - Warrior 8000 - 8000 lb drag capacity, 12V, wander lead remote control, no power system		890
Electric winch kit - Warn 8000 - 8000 lb drag capacity, 12V, wander lead remote control, no power system		1,090
Power pack, portable HD 12V for electric winch - supplied with quick coupling Anderson connectors		320
OPERATION		
Manual hydraulic tilt-bed operation (for trailers 4.50m and over)		500
Electric tilt-bed operation (for trailers 4.50m and over). Must be ordered in conjunction with on-board battery kit, see next line)		980
On-board battery kit (can power electric winch or electric hydraulics, or both)		330
C-TEK battery charger kit (must be ordered in conjunction with on-board battery kit)		270
Eye coupling, 40mm diameter		100
Swivel jockey kit		250
OPTIONS PACKS		
Electric assistance pack (Warrior winch) - includes electric tilt-bed, battery pack, electric winch, CTEK charger		1,950
Electric assistance pack (Warn winch) - includes electric tilt-bed, battery pack, electric winch, CTEK charger		2,100
STORAGE		
Storage locker, below bed location (1 or 2 per trailer can be fitted)		280
LOAD RESTRAINT		
Loading assist, full width wheel chock		300

WHEEL OPTIONS	TWIN AXLE	TRI-AXLE
Alloy wheels – 10” (style B2 colour Silver) + safety locking wheel bolts and alloy spare	600	840
Alloy wheels – 10” (style B2 colour Anthracite, diamond cut) + safety locking wheel bolts and alloy spare	750	1,050
Alloy wheels – 12” (style B2 colour Silver) + safety locking wheel bolts and alloy spare	600	840
Alloy wheels – 12” (style B2 colour Anthracite, diamond cut) + safety locking wheel bolts and alloy spare	750	1,050

See page 9 for details of additional security, safety and load restraint options which are available on all of our ranges.

T/PPER

STANDARD EQUIPMENT



MODEL PREFIX	526	526	526	526	526	526	526	526	526
MODEL NUMBER	2716-27-2-12	2716-27-2-13	3116-27-2-12	3116-27-2-13	3116-35-2-12	3620-35-2-12	3620-35-3-12	4020-35-2-12	4020-35-3-12
CAPACITY / DIMENSIONS									
Gross kg	2,700	2,700	2,700	2,700	3,500	3,500	3,500	3,500	3,500
Load kg	1,920	1,920	1,830	1,830	2,495	2,390	2,320	2,370	2,300
Unladen trailer weight kg*	780	780	870	870	1,005	1,110	1,180	1,130	1,200
Load bed length m A	2.70	2.70	3.10	3.10	3.10	3.60	3.60	4.00	4.00
Load bed width m B	1.60	1.60	1.60	1.60	1.60	2.00	2.00	2.00	2.00
Overall trailer width m C	1.71	1.71	1.71	1.71	1.71	2.11	2.11	2.11	2.11
Overall trailer length m D	4.00	4.00	4.40	4.40	4.40	4.90	4.90	5.30	5.30
Bed load height m	0.71	0.73	0.71	0.73	0.72	0.72	0.71	0.72	0.71
Towball height (loaded, centre of towball) m	0.37	0.44	0.37	0.44	0.37	0.37	0.42	0.37	0.42
RUNNING GEAR									
Axles	2	2	2	2	2	2	3	2	3
Wheel / tyre size	12" (195/60)	13" (165 C)	12" (195/60)	13" (165 C)	12" (195/60)	12" (195/60)	12" (195/60)	12" (195/60)	12" (195/60)
Spare wheel	●	●	●	●	●	●	●	●	●
Auto-retract jockey wheel, 48mm with 'Turn-Lok', serrated wall	●	●	●	●	—	—	—	—	—
Heavy duty telescopic jockey wheel, 48mm with 'Turn-Lok', serrated wall	—	—	—	—	●	●	●	●	●
EXTERIOR									
Steel dropsides - 308mm	●	●	●	●	●	●	●	●	●
Body trim / Dropside colours - red, blue, anthracite, black, yellow	●	●	●	●	●	●	●	●	●
HYDRAULICS									
Hydraulic rams	1	1	1	1	1	2	2	2	2
12V electric hydraulic pump with on-board battery and trickle-charge from vehicle	●	●	●	●	●	●	●	●	●
BED BASE									
Steel lined bed with ply wood base - bonded and located by a fastener free heavy duty extrusion	●	●	●	●	●	●	●	●	●
LOADING									
Tie-down anchor points - sealed (internal)	8 points	8 points	8 points	8 points	8 points	8 points	8 points	8 points	8 points
LIGHTING / SECURITY									
Full LED lighting	●	●	●	●	●	●	●	●	●
Cast steel coupling head with integral high security lock	●	●	●	●	●	●	●	●	●
REAR DOOR									
Full-width rear tailgate - top and bottom hinged	●	●	●	●	●	●	●	●	●
DELIVERY									
Delivery to a UK dealer	●	●	●	●	●	●	●	●	●
PRICE									
£ ex vat	5,300	5,050	5,900	5,700	6,300	7,600	8,100	8,150	8,650

*Unladen weight includes drop sides and rear doors or tailgate.

Brian James Trailers Ltd, Flatbed/Tipper price list 01.12.2022. All prices shown are subject to VAT. Trailer prices include delivery to a UK dealer. Prices subject to change without prior notice. Illustrations may depict non-standard equipment. All trailer weights stated are approximate and are based on a trailer with no optional extras fitted.

T/PPER

OPTIONAL EQUIPMENT

	LOAD BED LENGTH			
	2.70	3.10	3.60	4.00
WINCHES	£ ex vat			
Electric winch kit - 4500lb drag capacity, 12V, wander lead remote control	660	660	660	660
Battery Kit - CTEK Battery Charger	270	270	270	270
Power pack, portable HD 12V for electric winch - supplied with quick coupling Anderson connectors	320	320	320	320
REAR DOOR				
Rear doors, side hinged - 270° opening (upgrade from standard tailgate)	100	100	100	100
LOADING				
Loading ramps (pair) - 1.80m length, high grip surface, galvanised steel	370	370	370	370
Loading ramps (pair) - 2.35m length, high grip surface, galvanised steel	450	450	450	450
Rear kick-down support legs	180	180	180	180
SIDES				
Side extension panels - 308mm - front, rear, sides. Trim available in red, blue, anthracite, black, yellow, plain steel	900	940	980	1,020
Side extension panels - 660mm - front, rear, sides	940	980	1,060	1,100
Heavy duty side extension panels - 660mm - front, rear, sides	1,290	1,340	1,450	1,500
Ladder rack featuring a cross bar and removable posts - suitable for trailers without side extensions fitted	200	200	210	210
Ladder rack featuring a cross bar - suitable for trailers with side extensions fitted	120	120	130	130

See page 9 for details of additional security, safety and load restraint options which are available on all of our ranges.

UNIVERSAL OPTIONS

LOAD RESTRAINT	£ ex vat
Tie-down straps - orange, set of 4 x wheel 'sling' straps, 4,000 daN/Kg	190
4 x Wheel Straps, 6,000mm x 50mm, HD Orange, 4000 daN/Kg	220
4 x Wheel Straps, 10,000mm x 50mm, HD Orange, 4000 daN/Kg	290
SAFETY	
Tyre pressure monitoring system – TPMS by TyrePal in-car monitoring with external sensors (*pricing shown for 1 axle/2 axle/3 axle)	190/260/330*
Wheel nut indicators + safety system (4 wheel kit)	15
Wheel nut indicators + safety system (6 wheel kit)	22.50
SECURITY	
Datatag kit, provides an asset database registered transponder	150
Lockfast Bar Kit, 2 point fixing for 10" wheels (not suitable for alloy wheels)	250
Lockfast Bar Kit, 2 point fixing for 12" 5x stud and 13" 165/80 wheels (not suitable for alloy wheels)	300

BRIAN JAMES TRAILERS

» Connected to you



NOTES

All images used are for illustrative purposes only and may show non-standard equipment and finishes. All products are subject to change without prior notice due to our continuous development programme.

© BRIAN JAMES TRAILERS LIMITED

Brian James Trailers Limited.
Sopwith Way, Drayton Fields Industrial Estate
Daventry, Northampton, NN11 8PB

T + 44 (0)1327 308 833

For more information please call or visit our website

www.brianjamestrailers.co.uk